Cabin payload with 3 hr. trip fuel and 45 min. reserve 439 kg





#### STANDARD FEATURES

#### AIRFRAME & POWERPLANT

Continental IO-550-N 310 HP Engine Hartzell 3-Blade Aluminum Propeller Single Movement Power Lever

Dual Side Yoke

Cirrus Airframe Parachute System® (CAPS®)

Airbag Seatbelts (Front Seats)

**Dual Alternators** 

406 MHz ELT

High Performance Beringer Brakes

**Tubeless Tires** 

Low Drag Advanced Wheel Fairings

Spectra<sup>™</sup> Wingtip Lighting

Spectra<sup>™</sup> Illuminated Steps

Interior/Exterior Convenience Lighting

Surface Illumination Lights

Remote Keyless Entry

Keyless Baggage Door

**UV Protected Windows** 

Base Leather Interior

60/40 Flex Seating™ Seats up to 5

High Power USB Ports (USB-A and USB-C)

3 Year / 1000 Flight Hour Spinner-to-Tail Warranty

#### **AVIONICS**

Cirrus Perspective+™ by Garmin® Cockpit Synthetic Vision Technology (SVT™)

10" Screens

GMA 350c All-Digital Bluetooth® Audio Panel

**QWERTY Keyboard Controller** 

Dual Comm/Nav/WAAS GPS Radios

Engine & Fuel Monitoring

Cirrus IQ<sup>™</sup>

ADS-B Out Transponder

Digital 4-in-1 Standby Instrument

Garmin Flight Stream 5101

GFC 700 Autopilot including

Electronic Stability & Protection (ESP)

**Dual ADAHRS** 

Hypoxia Check/Automated Descent Mode

Blue Level Button

Autopilot Stall Protection

#### **TRAINING**

3 Day Transition Training Package

# **SR22 PACKAGES**



#### CIRRUS EXECUTIVE \$35.728

Bring must-have jet features to your Cirrus SR Series aircraft. **Yaw Damper** provides cruising comfort for pilot and passengers, reduces pilot workload and enables true three-axis autopilot functionality. The **Enhanced Vision System (EVS)** leverages infrared imaging technology to display what the human eye cannot see. Gain peace of mind in night and low-visibility conditions knowing cloud tops & build-ups, surrounding terrain, runway obstacles, taxiways and surface markings are clearly visible on the MFD. *Weight*  $\Delta$ : 2.7 kg



# CIRRUS AWARENESS \$34,608

Get the complete picture. Active Traffic interrogates nearby transponder equipped aircraft and creates a 360° zone of detection and awareness around the aircraft and provides visual and ATC-like audio alerts to potential traffic hazards. eTAWS¹ TAWS-B terrain warning system calculates predictive terrain avoidance guidance based on your flight path, visually and aurally alerting the pilot if terrain threats loom ahead. Weight  $\Delta$ : 6.8 kg



## CIRRUS ADVANTAGE \$39,088

Upgrade to 12" screens for tremendous situational awareness and 35% more screen real estate over the standard 10" screens. Always know where you are on approach or on the airport itself with Jeppesen® ChartView™ (geo-referenced Jeppesen published electronic charts) and one year of navigation data subscriptions. SurfaceWatch™ monitors your aircraft's position on the ground providing enhanced situational awareness through aural and visual alerts to the pilot throughout the airport terminal environment. Weight Δ: 1.4 kg



## CERTIFIED FLIGHT INTO KNOWN ICE \$67,088

Increase your flying flexibility and capability with the **Cirrus Known Ice Protection System**. Not an STC or an afterthought, this TKS-based system was uniquely engineered to include innovative features such as **dual windshield sprayers** that ensure landing visibility, **dual TKS fluid tanks with automatic tank switching** and **three TKS flow rate options** to cover every condition. More impressive is the full integration with the Cirrus Perspective cockpit providing ready access to **TKS fluid duration and range information** and all **System Operating Parameters**. Finally, this package also guarantees your aircraft is ready for colder weather flying and maximized engine life with a **Tanis Avionics & Engine Pre-Heater**. *Weight* Δ: 28.6 kg



# PREMIUM APPEARANCE \$39,088

The reimagined Premium design suites ensure that you'll arrive in comfort and style, no matter where your Cirrus takes you. Premium leather and bolstered seats maximize cruising comfort, and striking exterior designs reflect your personality on the ramp.

#### EXTERIOR -

With twelve bold colors and two designs, tailor the aircraft to make it uniquely yours.



#### **CARBON APPEARANCE**



### PLATINUM APPEARANCE

Inspired by the sharp lines seen on high-end sports cars, the Carbon Appearance design commands attention on the ground and in the air. The Platinum Appearance design exudes quiet confidence. Fluid lines complement a painted spinner for a truly stylish aesthetic.

#### INTERIOR -

The Premium interior is uncompromising in design, function, and comfort featuring luxurious leather, bolstered seats, and satin silver vents and lights. Expanded aesthetic flexibility provides you with the power to select from five leather colors and two cabin interiors. Add black Alcantara inserts to your seats for sporty sophistication or designate an all-leather design for timeless beauty.



The GTS is truly the SR22 flagship. Combine all the packages for even greater value: Cirrus Executive, Cirrus Awareness, Cirrus Advantage, Certified Flight into Known Ice, Premium Appearance and authentic GTS badging. GTS is the luxury, technology and performance standard by which all other aircraft are measured.

(Air Conditioning replaces Certified Flight Into Known Ice)

#### **ADDITIONAL OPTIONS**

#### AIR CONDITIONING \$33,488

Stay cool with this factory installed Air Conditioning System. Weight  $\Delta$ : 24.9 kg

## CIRRUS GLOBAL CONNECT \$17,8081

Worldwide weather, satellite phone and text messaging through Iridium Communications, fully integrated for use with your cabin headphones, means you're always within reach. Weight  $\Delta$ : 2.7 kg

#### BUILT-IN OXYGEN SYSTEM \$12,208

Give yourself the flexibility to fly to wherever you need to be. The SR22 service ceiling allows you to fly to 17,500 ft. Take advantage of the higher altitudes to get over weather, terrain or increase your ground speed. The  $77 \text{ft}^3$  capacity factory installed system will provide plenty of oxygen for all occupants for normal flight durations. Weight  $\Delta$ : 8.2 kg

# HARTZELL 3-BLADE LIGHTWEIGHT COMPOSITE PROP \$14.448

Significantly increase your SR22's useful load and add ramp presence with the three-blade composite propeller.

Weight ∆: - 5.4 kg

# LIGHTNING DETECTION \$14,448

Enhance weather awareness with instantaneous lightning information for all types of convective activity.

Weight  $\Delta$ : 2.7 kg

DME \$14,448

Weight Δ: 1.8 kg

ADF \$9.968

Weight ∆: 4.1 kg

# TANIS AVIONICS & ENGINE PRE-HEATER \$2,789

Guarantee your aircraft is ready for colder weather flying and maximize your engine life. Also included in the Certified Flight Into Known Ice package.

Weight  $\Delta$ : 1.8 kg





#### THE INDIVIDUALIZED ART OF THE POSSIBLE



Cirrus owners already have an unparalleled appreciation for quality and performance. It's the reason Cirrus continues to be the world's best-selling airplane in its class. Now, Xi takes this one step further through individualization - by making you an integral part of the design team for your dream airplane.

A unique experience worthy of every flight you will make in your Cirrus, you will develop a personal working relationship with the Xi Team, working one-on-one to tailor your plane to your exact specifications and preferences for materials, colors, designs and more. With Xi, you define the art of the possible.

Xi COMPLETE	\$83,8882
Xi EXTERIOR	\$50,288 <sup>2</sup>
Xi INTERIOR	\$55.888 <sup>2</sup>

#### WARRANTY

#### 4TH & 5TH YEAR SPINNER-TO-TAIL WARRANTY

Add two more years for an unprecedented and industry-leading 5 year / 2000 Flight Hour Spinner-to-Tail warranty. The most complete coverage for the world's most desired aircraft.

\$22,288

Price by Region

#### ADDITIONAL TRAINING / DELIVERY

3 DAY TRANSITION TRAINING PACKAGE

\$3,2483

5 DAY CIRRUS STANDARDIZED
INSTRUCTOR PACKAGE


\$4,3683

DELIVERY PACKAGE

#### **PERFORMANCE**

	CIRRUS SR2	22 AIRCRAF	T
PERFORMANCE	Takeoff	1,082 ft	330 m
	Takeoff Over 50 ft Obstacle	1,868 ft	569 m
	Climb Rate	1,270 ft/min	6.45 m/sec
	Max Operating Altitude	17,500 ft	5,334 m
	Stall Speed with Flaps	60 KCAS	60 KCAS
	Max Cruise Speed	183 KTAS	183 KTAS
	Landing Groundroll	1178 ft	359 m
ENGINE	Manufacturer	Continental	
	Model	IO-550-N	
	Horsepower	310	
DIMENSIONS	Wingspan	38 ft 4 in	11.68 m
	Length	26 ft	7.92 m
	Height	8 ft 11 in	2.7 m
	Cabin Width	49 in	124 cm
	Cabin Height	50 in	127 cm
		US STANDARD	METRIC

# **SR22** High Speed Cruise @ 8,000 Ft (180 KTAS)



+1 lb (.45kg) Payload or Equipment = - 1.7 NM 75% to 55% PWR = + 40% Range



#### FOR A CONSULTATION CALL +1.218.529.7200 OR VISIT CIRRUSAIRCRAFT.COM

Specifications, weights, representations, colors, list of equipment, use of materials and model references listed herein are not warranted or guaranteed to be true or accurate. Actual useful load will vary depending on options installed on the aircraft. Always consult specific aircraft weight and balance parameters and data for flight planning. The pictures contained in this brochure of specific models or other products may contain optional equipment or nonstandard features, which even if available may be at an additional cost. Some optional equipment requires separate paid subscriptions from third-party providers. You may rely only upon statements and representations contained in actual contracts that you enter into with Cirrus Design Corporation. Referenced Cirrus trademarks are owned by Cirrus Industries, Inc. or its subsidiaries. All other brands, product names, company names, trademarks and service marks are the properties of their respective owners. All rights reserved. ©2022, CIRRUS DESIGN CORPORATION D/B/A CIRRUS AIRCRAFT. For additional information on Cirrus and its products please visit cirrusaircraft.com.