SR20

INTERNATIONAL





\$626,900

Airframe and Powerplant

- Lycoming IO-390-C3B6 215 HP Engine
- 3-Blade Aluminum Propeller
- Push Button Start
- Automatic Fuel Selection System
- Single Movement Power Lever
- Dual Side Yoke with Stick Shaker
- Cirrus Airframe Parachute System® (CAPS®)
- Airbag Seatbelts (Front Seats)
- Dual Alternators
- Intelligent Lightweight Battery
- 406 MHz ELT
- High Performance Beringer Brakes
- Michelin Pilot Tires
- Low Drag Advanced Wheel Fairings
- Spectra[™] Wingtip Lighting
- Spectra[™] Illuminated Steps
- Surface Illumination Lights
- Keyless Baggage Door
- UV Protected Windows
- Standard G7 Interior
- 60/40 Flex Seating[™] Seats up to 5
- All-Weather Floor Mats
- USB-C Charging Ports (60W & 15W)
- 3-Year/1000 Flight Hour Spinner-to-Tail Warranty

Avionics

- Cirrus Perspective Touch+[™] by Garmin[®]
 Flight Deck
- Synthetic Vision Technology (SVT™)
- 12" High-Resolution Widescreen Displays
- All-Digital Bluetooth® Audio Controller
- Dual Garmin Touchscreen Controllers
- Dual Comm/Nav/WAAS GPS Radios
- Aircraft Systems Synoptic Pages
- CAS-Linked Checklists & Checklist Scroll Wheel
- Flap Airspeed Protection
- ADS-B Out Transponder
- Garmin Flight Stream 510¹
- GFC 700 Autopilot including Electronic Stability and Protection (ESP)

Dual ADAHRS

Hypoxia Check/Automated Descent Mode

Blue Level Button

Autopilot Stall Protection

- 3D SafeTaxi® 2,4
- Jeppesen ChartView²
- SurfaceWatch^{™2}
- Active Traffic
- eTAWS²
- Cirrus IQ^{™1,3}

Training

3-Day Transition Training Package

PACKAGES

SR20 Premium \$686,900 / Weight: 968 kg

The 2025 SR20 Premium includes 14" screens that offer tremendous situational awareness and 36% more screen real estate over the standard 12" screens. Enter taxi clearances with ease and follow clearly displayed progressive instructions on the map and in a 3D environment with Taxiway Routing. Remote Keyless Entry and Interior/Exterior Ambient Convenience Lighting ease evening preflights and the reimagined Premium Interior and Exterior Designs ensure that you will arrive in comfort and style, no matter where your Cirrus takes you. Premium leather and bolstered seats maximize cruising comfort, and striking exterior designs reflect your personality on the ramp. Discover all the possibilities at configurator.cirrusaircraft.com.

Carbon Exterior Inspired by the sharp lines seen on high-end sports cars, the Carbon Appearance

commands attention on the ground and in the air.

Platinum Exterior The Platinum Appearance design exudes quiet confidence. Fluid lines complement a painted

spinner for a truly stylish aesthetic.

Interior The Premium interior is uncompromising in design, function and comfort. It features

luxurious leather, bolstered seats and satin silver vents & lights. Select from five leather colors and two cabin interiors. The seats can be appointed with black Alcantara inserts for

sporty sophistication or an all-leather design for timeless beauty.

ADDITIONAL OPTIONS

Air Conditioning \$39,900 / Weight Δ: 24.9 kg

Stay cool with this factory-installed Air Conditioning system.

Cirrus Global Connect \$16,9001 / Weight A: 2.7 kg

Worldwide weather, satellite phone and text messaging through Iridium Communications are fully integrated so you are always within reach.

3-Blade Lightweight Composite Propeller

 $15,900 / Weight \Delta: -11.3 kg$

Significantly increase your SR20's useful load with the 3-blade composite propeller.

DME \$12,900 / Weight Δ: 1.8 kg

ADF \$8,900 / Weight Δ: 4.1 kg

Tanis Avionics and Engine Pre-Heater

2,900 / Weight 1.8 kg

Ensure your aircraft is ready for cold-weather flying, and maximize your engine life.

WARRANTY

4TH & 5TH Year Spinner-to-Tail Warranty \$20,900

Add two more years for an industry-leading 5 year/2,000 Flight Hour Spinner-to-Tail warranty. It is the most complete coverage for the world's most desired aircraft.

ADDITIONAL TRAINING / DELIVERY

3-Day Transition Training Package \$4,7502


5-Day Cirrus Standardized Instructor Package \$7,5002

Delivery Package Price by Region

PERFORMANCE

		US STANDARD	METRIC
PERFORMANCE	Takeoff ¹	1,685 ft	514 m
	Climb Rate ¹	781 ft/min	3.97 m/sec
	Max Operating Altitude	17,500 ft	5,334 m
	Stall Speed with Flaps	57 KCAS	57 KCAS
	Max Cruise Speed	155 KTAS	155 KTAS
	Landing Ground Roll ²	853 ft	260 m
ENGINE	Manufacturer	Lycoming	
	Model	IO-390-C3B6	
	Horsepower	215	
	Wingspan	38 ft 4 in	11.7 m
DIMENSIONS	Length	26 ft	7.9 m
	Height	8 ft 11 in	2.7 m
	Cabin Width	49 in	124 cm
	Cabin Height	50 in	127 cm

¹Max gross weight. ISA at sea level, best rate of climb, flaps 50%. ²Max gross weight. ISA at sea level, flaps 100%.



+1 lb (.45kg) Payload or Equipment = -2.2 NI 65% to 55% PWR = +8% Range

CONFIGURE YOUR SR20

Discover, customize, save and share your favorite SR Series aircraft at **configurator.cirrusaircraft.com**





FOR A CONSULTATION CALL +1.833.735.0651 OR VISIT CIRRUSAIRCRAFT.COM

Specifications, weights, representations, colors, list of equipment, use of materials and model references listed herein are not warranted or guaranteed to be true or accurate. Actual useful load will vary depending on options installed on the aircraft. Always consult specific aircraft weight and balance parameters and data for flight planning. The pictures contained in this brochure of specific models or other products may contain optional equipment or nonstandard features, which even if available may be at an additional cost. Some optional equipment requires separate paid subscriptions from third-party providers. You may rely only upon statements and representations contained in actual contracts that you enter into with Cirrus Design Corporation. Referenced Cirrus trademarks are owned by Cirrus Industries, Inc. or its subsidiaries. All other brands, product names, company names, trademarks and service marks are the properties of their respective owners. All rights reserved. ©2025, CIRRUS DESIGN CORPORATION DIBJA CIRRUS.